

## **Empowering Your Recovery Post-Chemotherapy**

Naturally Rejuvenate, Restore, and Rebuild



## Purobest - AKBA LPX 200, 200 mg Boswellia Serrata std to 90% AKBA

Nutraceutical to fight against cancer and recurrence prevention after chemotherapy.



Main Action: Harness the strength of 90% AKBA for robust post-chemotherapy recovery, targeting vital inflammatory pathways. AKBA exhibits anti-cancer effects by inducing apoptosis causing cell cycle arrest, suppressing autophagy, and inhibiting metastasis in various organs. Its targeted actions involve specific genes related to cell cycle regulation and apoptosis, impacting pathways such as PI3K/Akt.



Specific benefits: Alleviate pain, address side effects, and shield healthy cells after chemotherapy.



When to Prescribe: Reco) andd for cancer survivors after chemotherapy, aiding in recovery from glioblastoma, managing cancer-related pain, reducing blood inflammatory parameters (CRP and ESR), and combating drug resistance.



**Major Contraindications:** Not recommended for individuals with severe **bleeding disorders** or **severe gastric issues**. Avoid use **one day before** and **two days after chemotherapy**.



Dosage: 1 Capsule OD

## Purobest - Quercetin LPX 1000, 1000 mg of 95% Quercetin with 150 mg of Bromelain

Nutraceutical supporting recovery after chemotherapy.



Main Action: Quercetin LPX 1000, enriched with 95% quercetin, is a potent post-chemotherapy nutraceutical with anticancer effects in ovarian, gastric, and breast cancer cells through anti-proliferative and pro-apoptotic actions. It induces apoptosis (BCL2, Bax, Caspase), cell cycle arrest, reduces inflammation (IL-2, IL-6, TNFα, COX2), demonstrates antiangiogenic (VEGF, TGFβ), prevents chemo-resistance (MDR1, MRP) and antimetastatic properties.



**Specific benefits:** Quercetin through **cell cycle inhibition**, **anti-metastatic properties**, supporting overall recovery and potential to sensitize and protect after chemotherapy.



When to Prescribe: Advised for cancer survivors after chemotherapy, promoting recovery from brain tumors, breast cancer, lung cancer, and countering drug resistance.



**Major Contraindications:** Not recommended for individuals with severe **bleeding disorders** or severe **gastric issues**. Avoid use **one day before** and **two days after chemotherapy**.



Dosage: 1 Sachet OD with mixed with 200 ml of water





